ileri group

Steering Units
Steering Wheels
Steering Columns

2017

Innovative Steering Solutions





www.ilerigroup.com

ileri
group

Index

Bako

Page 5

Bako, Short

Page 6

Robust, w/cluster

Page 7

Robust, w/cluster, Short

Page 8

Modular, w/cluster

Page 9

Modular, w/cluster, S.

Page 10

Classic - New

Page 11

Classic - New, Short

Page 12

Robust - Slim

Page 13

Robust - Slim, Short

Page 14

Modular, RA cluster

Page 15

Modular, RA cluster, S.

Page 16

Modular - Slim

Page 17

Modular - Slim, Short

Page 18

Slim, FR cluster

Page 19

Slim, FR cluster, Short

Page 20

Slim, RA cluster

Page 21

Slim, RA cluster, Short

Page 22

Slim, FR cluster, pedal

Page 23

Slim, RA cluster, pedal

Page 24

Slim, w/pedal

Page 25

Slim

Page 26

Slim, Short

Page 27

Lean

Page 28

Sleek, w/display

Page 29

Sleek

Page 30

ø 300

Page 33

ø 320

Page 34

ø 352

Page 35

ø 360

Page 36

ø 380

Page 37

ø 400

Page 38

P/N 2500

Page 41

P/N 2548

Page 42

P/N 2536

Page 43

P/N 2613

Page 44

P/N 2621

Page 45

P/N 2489

Page 46

P/N 2582

Page 47

P/N 2077

Page 48

P/N 2597

Page 49

P/N 2036

Page 50

P/N 2326

Page 51

P/N 2033

Page 52

ileri
group

Steering Units



www.ilerigroup.com













Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice













Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice













Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice













Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice













Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Tilt adjustment with button actuating gas spring (infinite locking)
- Telescope adjustment with rotating knob onto the streering wheel hub (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 5°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Tilt adjustment with button actuating gas spring (infinite locking)
- Telescope adjustment with rotating knob onto the streering wheel hub (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 5°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Tilt adjustment with button actuating gas spring (infinite locking)
- Telescope adjustment with rotating knob onto the streering wheel hub (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 5°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Tilt adjustment with button actuating gas spring (infinite locking)
- Telescope adjustment with rotating knob onto the streering wheel hub (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 5°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Tilt adjustment with foot pedal at the base of the column (infinite locking)
- Telescope adjustment with rotating knob onto the steering wheel hub (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 25°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Tilt adjustment with foot pedal at the base of the column (infinite locking)
- Telescope adjustment with rotating knob onto the steering wheel hub (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 25°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Tilt adjustment with foot pedal at the base of the column (infinite locking)
- Telescope adjustment with rotating knob onto the steering wheel hub (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 25°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Tilt adjustment with button actuating gas spring (infinite locking)
- Telescope adjustment with rotating knob onto the streering wheel hub (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 5°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice















Features

- Tilt adjustment with button actuating gas spring (infinite locking)
- Telescope adjustment with rotating knob onto the streering wheel hub (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 5°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice













Features

- Tilt adjustment with foot pedal at the base of the column (infinite locking)
- Telescope adjustment with rotating knob onto the steering wheel hub (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 25°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice













Features

- Tilt adjustment with foot pedal at the base of the column (infinite locking)
- Telescope adjustment with rotating knob onto the steering wheel hub (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 25°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice













Features

- Tilt adjustment with foot pedal at the base of the column (infinite locking)
- Telescope adjustment with rotating knob onto the steering wheel hub (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 25°
- Thermoformed ABS housing (soft-touch version is on demand)
- Color options are black/dark gray (like RAL 7024) and light gray (like RAL 7046)
- Different colors are on demand
- Fully customisable instrumentation and electronic components
- Suppliable with complete wiring harness
- Steering wheel options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice

ileri
group

Steering Wheels



www.ilerigroup.com



A-A Section















Features

- Soft-touch surface texture
- Made of UV resistant polypropylene
- Color is black (RAL 9004)
- Special color on demand
- Reinforced with steel frame
- Customisable center cap
- Special hub on demand
- Spinner knob options available
- Dimensions and specifications are subject to change without prior notice



A-A Section















Features

- Soft-touch surface texture
- Made of UV resistant polypropylene
- Color is black (RAL 9004)
- Special color on demand
- Reinforced with steel frame
- Customisable center cap
- Special hub on demand
- Spinner knob options available
- Dimensions and specifications are subject to change without prior notice



A-A Section















Features

- Made of UV resistant polypropylene
- Color is black (RAL 9004)
- Special color on demand
- Reinforced with steel frame
- Customisable center cap
- Special hub on demand
- Spinner knob options available
- Dimensions and specifications are subject to change without prior notice



A-A Section















Features

- Soft-touch surface texture
- Made of UV resistant polypropylene
- Color is black (RAL 9004)
- Special color on demand
- Reinforced with steel frame
- Customisable center cap
- Special hub on demand
- Spinner knob options available
- Dimensions and specifications are subject to change without prior notice



A-A Section















Features

- Soft-touch surface texture
- Made of UV resistant polypropylene
- Color is black (RAL 9004)
- Special color on demand
- Reinforced with steel frame
- Customisable center cap
- Special hub on demand
- Spinner knob options available
- Dimensions and specifications are subject to change without prior notice

















Features

- Made of UV resistant polypropylene
- Color is black (RAL 9004)
- Special color on demand
- Reinforced with steel frame
- Customisable center cap
- Special hub on demand
- Spinner knob options available
- Dimensions and specifications are subject to change without prior notice

ileri
group

Steering Columns



www.ilerigroup.com









Features

- Single lever operated tilt and telescope movement (incremental locking)
- Telescope travel: 60 mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 20°
- Lower and higher tube length are on demand
- Steering Wheel and Column Switch options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice





A-A Section



Detail A





Features

- Single lever operated tilt and telescope movement (infinite locking)
- Telescope travel: 60 mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Lower and higher tube length are on demand
- Steering Wheel and Column Switch options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice





B-B Section



Detail A



Detail B

Features

- Tilt adjustment with button actuating gas spring (infinite locking)
- Telescope adjustment with rotating knob onto the steering wheel hub (infinite locking)
- Telescope travel: 60 mm
- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 5°
- Lower and higher tube length are on demand
- Steering Wheel and Column Switch options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice









Features

- Tilt adjustment with foot pedal actuating gas spring at the base of the column (infinite locking)
- Telescope adjustment with rotating knob onto the steering wheel hub (infinite locking)
- Telescope travel: 60 mm
- Tilt travel toward driver: 25°
- Lower and higher tube length are on demand
- Steering Wheel and Column Switch options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice









Features

- Tilt adjustment with foot pedal actuating gas spring at the base of the column (infinite locking)
- Telescope adjustment with hand lever (infinite locking)
- Telescope travel: 60 mm
- Tilt travel toward driver: 25°
- Lower and higher tube length are on demand
- Steering Wheel and Column Switch options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice



Features

- Tilt adjustment with foot pedal actuating gas spring at the base of the column (infinite locking)
- Telescope adjustment with rotating knob onto the steering wheel hub (infinite locking)
- Telescope travel: 60 mm
- Tilt travel toward driver: 7°
- Tilt travel toward windscreen: 15°
- Lower and higher tube length are on demand
- Steering Wheel and Column Switch options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice













Features

- Tilt adjustment with hand lever (infinite locking)
- Telescope adjustment with rotating knob onto the steering wheel hub (infinite locking)
- Telescope travel: 60mm
- Tilt travel toward driver: 10°
- Tilt travel toward windscreen: 20°
- Lower and higher tube length are on demand
- Steering Wheel and Column Switch options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice









Detail A



Detail B

Features

- Tilt adjustment with hand lever (infinite locking)
- Telescope adjustment with hand lever (infinite locking)
- Telescope travel: 60 mm
- Tilt travel toward driver: 15°
- Tilt travel toward windscreen: 20°
- Lower and higher tube length are on demand
- Steering Wheel and Column Switch options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice











Features

- Tilt adjustment with hand lever (infinite locking)
- Tilt travel toward driver: 15°
- Tilt travel toward windscreen:20°
- Lower and higher tube length are on demand
- Steering Wheel and Column Switch options are available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice









Features

- Telescope adjustment with rotating knob onto the steering wheel hub (infinite locking)
- Telescope travel: 60 mm
- Lower and higher tube length are on demand
- Steering Wheel options are on available
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice







A-A Section



Detail A



ANSI
B92.1-1996
16/32 Z12

Features

- Tilt travel toward driver: 30°
- Tilt travel toward windscreen: 10°
- Steering Wheel options are on available
- Lower and higher tube length are on demand
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice









Features

- Steering Wheel options are on available
- Lower and higher tube length are on demand
- Serration and flange options are on demand
- Dimensions and specifications are subject to change without prior notice

ileri
group

ileri
group

US Headquarters:

ILERI Group, Inc.

2800-2900 Lively Blvd
Elk Grove Village, IL 60007

P: 847-592-3220
F: 847-430-4803
info@ilerigroup.com
www.ilerigroup.com